

CONTENT


| Preface 1 | |
|--|----|
| (A) Information on HIV/AIDS | 3 |
| 1. What is HIV ? | 4 |
| 2. What is the transmission media ? | 5 |
| 3. How did I get infected ? | 6 |
| 4. What is the meaning of being positive ? | 7 |
| (B) Treatment | 9 |
| 1. How does HIV affect my health? | 10 |
| 2. Watch-out for Opportunistic Infections | 11 |
| 3. How to monitor the health status ? | 12 |
| 4. What is Viral Load ? | 13 |
| 5. Warning signs | 14 |
| 6. What treatments are available in Hong Kong? | 15 |
| 7. When to consider Anti-Retroviral Therapy? | 16 |
| 8. Further information on Drug Therapy | 17 |
| 9. Things to remember on Drug Therapy | 18 |
| 10. Common side effects of Drugs | 19 |
| 11. Follow up schedule | 20 |

| (C) Daily Living | 21 |
|--|----|
| 1. What about my future ? | 22 |
| 2. Should I tell others ? | 23 |
| 3. Take steps to stay healthy and enjoy life | 24 |
| 4. How to face my partner ? | 25 |
| 5. What about sex ? | 26 |
| 6. Can I have babies ? | 27 |
| 7. Any special precaution in daily living? | 28 |
| 8. Can I keep pets ? | 29 |
| 9. What about travelling ? | 30 |
| (D) Supportive Services | 31 |
| 1. Talk about your feelings | 32 |
| 2. Who can help? | 33 |
| 3. Services of our clinic | 34 |
| 4. Remember, you're not alone! | 35 |
| (E) Dietary Advices | 37 |
| 1. Food hygiene | 38 |
| 2. Healthy eating | 39 |

Preface

It's common to feel afraid, lonely and depressed after knowing that you have tested positive on HIV antibody test. This booklet aims to help in answering some of your questions and introducing some supportive services to lower your above feelings. Also, we hope to help your partner, family members and friends to have better understanding of your feelings and situation.

Remember, living with HIV means taking charge of your life! You are not alone and we care!








What is HIV?

HIV stands for Human Immunodeficiency Virus. It's a virus which attacks your immune system particularly targeting and killing CD4-cells causing the Acquired Immune Deficiency Syndrome (AIDS).



What is the transmission media?

Body fluid that contain sufficient HIV to cause infection

Blood

Seminal fluid

Vaginal fluid



How did I get infected?



Sexual contact

Vaginal Oral Anal


Blood contact

Sharing needles and syringes





Exposure to contaminated blood or blood products




In utero During delivery Breast-feeding



Researchers have found that HIV is not spread through casual contact

What is the meaning of being positive?

- You have been infected with HIV
- You can potentially infect others if you do not take precautions
- 50% of HIV-infected adults will progress to AIDS in 10 years' time if without treatment







How does HIV affect my health?

Stages of HIV infection

Stage I: **Asymptomatic illness**

> Where people remain well for a number of years (no symptoms)

Stage II: **Symptomatic illness**

> When people experience mild symptoms such as lack of energy, night sweat, fever, unexplained weight loss and tiredness

Stage III: Advanced illness

Experience more severe symptoms or opportunistic

infections







Watch-out for

Opportunistic Infections

The most common infections are

Brain

- Toxoplasmosis (toxo)
- Cryptococcal Meningitis



Gut

- Cytomegalovirus (CMV)
- Cryptosporidiosis



Eyes

 Cytomegalovirus (CMV) retinitis



Skin

- Herpes Simplex
- Shingles
- Molluscum Contagiosum

Lungs

- Pneumocystis carinii pneumonia (PCP)
- Tuberculosis (TB)



Systemic

- Mycobacterium avium intracellulare
- Penicillium marneffei

Fighting infections

- Regular check-ups, take medicines as directed
- 2. Take medicines to prevent some infections, e.g. PCP
- Increase your body resistance against disease, e.g. healthy life style
- 4. Report symptoms of infection early

vision

diarrhoea • cough • tirednessfever • weight loss • blurred

Mouth and Throat

• Candidiasis (thrush)





How to monitor the health status?

Health monitoring blood test

1. CD4 cell count

To reflect your immune system

2. Viral load measurement

To show how much HIV is in your blood

 Results of these blood tests guide the indication and changing of treatment plan







What is Viral Load?


Viral load is the amount of HIV in the blood

Thinking about it in another way:

HIV infection like a train heading for a crash







In general

- Among people with the same CD4 count, those with higher viral load tend to develop Opportunistic Infections more quickly, i.e. faster disease progression
- Among people with the same viral load, those with lower CD4 count tend to develop Opportunistic Infections more quickly
- People with high viral load are likely to be more infectious

What is undetectable viral load?

- The level is below the limits of detection of current testing method
- Undetectable viral load ≠ HIV has disappeared entirely
- Lower risk of developing resistance to drugs
- Lower risk of developing AIDS





Warning signs

Nervous System / Vision

- Headache
- **Floaters**
- Distorted / blurred vision
- Short-term memory loss

Skin

- Rash
- Herpes Zoster

Systemic

- Fever
- **Fatigue**
- Loss of appetite
- Night sweats
- Weight loss

Lung

- Cough
- **Productive** cough
- Difficulty in breathing

Oral / Gut

- Nausea / vomiting
- Abdominal pain
- Diarrhoea
- White spots or unusual blemishes in the mouth



- Chest pain
- /shortness of breath

Others

Loin pain

What treatments are available in Hong Kong?

There are four classes of anti-retroviral drugs

- 1. Nucleoside Analogues (NRTI)
- 2. Non-Nucleoside Analogues (NNRTI)
- 3. Nucleotide Analogues (NTRTI)
- 4. Protease Inhibitor (PI)

Effects of anti-retroviral therapy

- Suppress HIV replication
- Boost the immune system
- Delay disease progression






When to consider Anti-Retroviral Therapy?

When:

- CD4 in a low level
- Viral load in a high level
- Signs of Opportunistic Infection /AIDS arose
- Psychologically prepared to comply with this long term treatment



Further information on Drug Therapy

· Long term treatment



- Follow your treatment plan exactly to prevent HIV from becoming resistant to your medication
- Follow the instruction e.g. empty stomach
- Regular follow up to check the body response to drug therapy





Things to remember on Drug Therapy

- Take on full stomach or empty stomach
- Take at least 1.5 Litre of fluid daily
- Tell the health care provider about any other over-the-counter or prescribed medicines you are taking to prevent drug interaction
- Proper storage of drugs





Common side effects of Drugs

Usually happen in the first few weeks after commencing drug therapy

Watch-out for common symptoms

- Nausea / vomiting
- Headache
- Fatigue
- Rashes
- Diarrhoea





Follow up schedule

New case

- Counselling by nurse
- Medical assessment including blood taking for CD4 and viral load count



Subsequent follow up

- Blood taking regular monitoring of CD4 and viral load
- Counselling by nurse
- Medical social worker for self-help and community support
- Secondary referral if needed







What about my future?

It's common to feel afraid, angry, lonely and depressed

- Talk about your feelings with people you trust
- Build a good relationship with your health care providers
- Learn more about your health and treatment plan



Should I tell others?

- Think first!
- Do you know your disease progress and medical treatment?
- Who needs to know?
- Discuss with nurse counsellor whether it is good for you to tell them at that moment





Take steps to stay healthy and enjoy life

- Maintain balanced diet
- Have adequate rest
- Maintain regular exercise
- Follow up regularly
- Adhere to treatment
- Avoid using alcohol, tobacco and
 - other drugs
- Reduce stress



How to face my partner?

- Should I tell him / her?
- What will he / she react?
- How to protect him / her?
- Any future plan?
- Discuss with nurse counsellor or medical social worker



You are welcome to talk with health care providers



What about sex?

Practise safer sex:

• Use condom



- Sex that does not involve penetration e.g. massage, hugging
- Even if your partner also has HIV infection, condom can reduce the risk of reinfected by mutated HIV strain and other sexually transmitted infections



Can I have babies?

If you and your spouse want to get pregnant, you should consider the followings:

- Your health
- Possibility of transmitting HIV to your partner and baby
- Prophylaxis to reduce the chance of infecting baby
- Who is going to take care of the baby (child care)
- Discuss with your health

care providers





Any special precaution in daily living?



Cover wound with dressing

Avoid sharing of personal items






 Blood contaminated clothing and material should be properly disinfected by using household bleach


Can I keep pets?

- Strengthen personal hygiene, wash your hands after touching pets to reduce the risk of getting infectious disease from them
- Always keep your pets clean, wear gloves to clean up excreta from the pets
- De-worm your pets and follow the vaccination schedule if necessary





What about travelling?



Before you travel

- Consult Port Health Service 2961 8840 about any health risk in the area you visit and the need to get special vaccinations
- Take a supply of an insect repellent, long sleeve clothes
- Get enough supply of anti-retroviral drugs
- Discuss with the nurse counsellor if you encounter any difficulty in calculating the time difference in drug taking

When you travel

- Take special care with food and water:
 - eat clean and cooked food, take boiled water
 - do not take raw food or drink unboiled water
- Avoid visiting hospital where TB patients are treated and crowded area
- Consult doctor if fever and malaise
- Take medications as prescribed
- Avoid swimming in water that might contain sewage or animal waste
- Practise safer sex to prevent sexually transmitted infections and resistant strain of HIV







Talk about your feelings

Being HIV Positive!



It's good to have someone who understands and listens



How do you feel? Let's have a talk!

Who can help

- Doctors
- Nurses
- Medical social workers
- AIDS Non-government organizations
- Support group





Services of our clinic

- Confidentiality
- Medical treatment
- Health monitoring
- Counselling service
- Telephone counselling

Other support services

- Medical social service
- Health education resources
- Peer support group





Remember, you're not alone!


For more support and information

Integrated Treatment Centre

| • | Nurse counsellor | 2117 0333 |
|---|-----------------------|-----------|
| • | Medical social worker | 2116 2878 |
| • | AIDS Hotline | 2780 2211 |

AIDS Non-Government Organizations

AIDS Concern 2898 4411
 Hong Kong AIDS Foundation 2560 8528
 The Society for AIDS Care 2559 2006





Food Hygiene

Boil it, cook it, peel it, or forget it

Do

- Boiled water
- Cook food properly
- Reheat leftovers thoroughly
- All fruit should be peeled
- Wash hands thoroughly before handling food and eating

Don't

- Unboiled water
- Beverages with ice made
 by unboiled water
- Raw eggs
- Raw meat & poultry
- Raw shellfish, oysters
- Sushi, sashimi
- Cut open fruit
- Unclean utensils and contaminated food



Healthy Eating

Fats, Oils & Sweets

use sparingly

 Meat, Poultry, Fish, & Eggs

2 - 3 servings



Vesetables Croup

Vegetables Group


3 - 5 servings

• | Fruit Group

2 - 4 servings

Bread, Cereal, Rice, & Pasta Group

6 - 11 servings





Department of Health Hong Kong 8/2003