

Press Meeting 26 May 2011

二零一一年五月二十六日新聞發佈會

Dr Wong Ka-hing
Department of Health
衛生署 黃加慶醫生



衛生署
Department of Health



衛生防護中心
Centre for Health Protection

HIV – routes of transmission

愛滋病病毒的傳播途徑

- Sexual : heterosexual or homosexual
性接觸:異性或同性
- Blood-borne: injecting drug use, contaminated blood/organ/needles
血液接觸:藥物注射、受污染的血液/器官/針具
- Mother-to-child
母嬰傳染

HIV antibodies testing

愛滋病病毒抗體測試

- 2-step testing
二步法測試
- Screening by enzyme-linked immunosorbent assay (ELISA)
利用[酶聯免疫吸附測試]作篩查
- Confirmation by Western blot (WB)
以[免疫蛋白印迹法]作確診
- Free confirmation for screening positive results by Public Health Laboratory Centre of Centre for Health Protection, DH
衛生署衛生防護中心轄下的公共衛生檢測中心提供免費確診服務予初篩陽性的個案

Window period

空窗期

- The time period between contracting HIV and testing positive for HIV antibody, is usually taken to be within 3 months.

從感染了愛滋病病毒至愛滋病病毒抗體測試呈陽性反應的期間，一般視為三個月之內。

HIV Reporting System in Hong Kong

香港的愛滋病病毒感染個案呈報系統

Major fields of information 主要資料:

- Gender 性別
- Ethnicity (Chinese –Y/N) 族裔
- Age (Adult –Y/N) 年齡組別
- Source of reports 呈報來源
- Progression to AIDS 發病(愛滋病)
- Route of transmission 傳播途徑
- Suspected place of infection 估計感染地區

Since 1984

一九八四年開始運作

Voluntary reporting

自願呈報

Anonymous

不記名

Source of reports 呈報來源:


- Physicians 醫生
- Confirmatory laboratories 確認測試化驗室

1984 - first HIV case diagnosed
一九八四年發現首例愛滋病病毒感染

Annual HIV/AIDS Statistics

香港每年愛滋病病毒感染及愛滋病統計

1984 – March 2011, Hong Kong (N=4935/1198)





Gender of reported HIV infection

感染愛滋病病毒人士之性別分佈

1984 – March 2011 (N=4935)

Year 2011 (Jan - Mar)





(1-3)

Year 2011 (Jan - Mar)

Ethnicity of reported HIV infection



感染愛滋病病毒人士之族裔分佈

1984 – March 2011 (N=4935)




Age group and gender of reported HIV infection

感染愛滋病毒人士之年齡及性別分佈
1984 – March 2011 (N=4935)




Routes of transmission of HIV infection

感染愛滋病病毒人士之傳染途徑
1984 – March 2011 (N=4935)





Sexual contact
性接觸 : 74.2%




Route of transmission of HIV infection

香港每年感染愛滋病毒人士之傳染途徑分佈

1984 – March 2011, Hong Kong (N=4935)




Heterosexual transmission 異性性接觸感染個案




No. of reports remains at a stable level
報告數字保持平穩

MSM transmission 男男性接觸感染個案



No. of reports stays high
報告數字維持高企

Transmission through injecting drug use 注射毒品感染個案



No. of reports is decreasing
報告數字呈下降趨勢





Source of referral of HIV infection

香港每年感染愛滋病毒人士之轉介來源分佈


1984 – March 2011 (N=4935)

Year 2011 (Jan - Mar)



(1-3)


Sources of HIV reports from heterosexual men



異性性接觸感染男士多於以下地方確診 infections in **heterosexual men** are mostly referred from

- 公共醫療機構 Public clinics/hospitals (30% in this quarter)
- 私人醫療機構 Private clinics/hospitals (30% in this quarter)

Sources of HIV reports from MSM




男男性接觸者多於以下地方確診 infections in **MSM** are mostly referred from

- 愛滋病服務機構 AIDS service organisations (27% in this quarter)
- 衛生署愛滋病服務組 AIDS Unit of DH (20% in this quarter)
- 衛生署性病門診 DH's STI clinics (20% in this quarter)
- 私人醫療機構 Private clinics/hospitals (20% in this quarter)


Suspected location of HIV infection

估計愛滋病毒病毒感染地區


2006 – March 2011 (N=2110)



Heterosexual Male 異性性接觸男性 (2006 – March 2011)



Men who have sex with men 男男性接觸者 (2006 – March 2011)



In first quarter of 2011, 60.2% of the newly reported HIV cases were managed at specialist services

二零一一年第一季，60.2%的新呈報感染個案在專科服務接受治療

Natural course of HIV infection


愛滋病病毒感染的自然進程

- Without treatment, about half of the infected people will progress to AIDS in ten years' time.
若沒有接受治療，約一半受感染人士會於十年內發病成為愛滋病患者。
- AIDS is characterised by development of major clinical complications, e.g. opportunistic infections, cancers, related to the underlying immunosuppression.
愛滋病表示因抵抗力下降，出現了嚴重的併發症，例如伺機性感染、惡性腫瘤。
- HIV alone $\neq$ AIDS ; HIV + AIDS-defining illness = AIDS
愛滋病病毒感染的 $\neq$ 愛滋病；
愛滋病病毒感染 + 愛滋病界定疾病 = 愛滋病

Yearly statistics on AIDS 每年愛滋病統計 1985 – March 2011 (N=1198)

Three commonest AIDS –defining illnesses 三種最常見愛滋病界定疾病


	This quarter 本季	Cumulative 累積
PCP 肺囊蟲肺炎	53.8%	39.4%
Tuberculosis 結核病	23.1%	27.1%
Fungal infections 真菌感染	7.7%	16.6%



Trend of AIDS-defining illnesses 愛滋病界定疾病流行情況 1984 – March 2011 (N=1198)

Pneumocystis pneumonia and tuberculosis were the most important AIDS-defining illnesses


肺囊蟲肺炎和結核病是最重要的愛滋病界定疾病




AIDS –defining illnesses

愛滋病界定疾病

1985 – March 2011 (N=1198)



Year 2011 (Jan - Mar)



HIV situation in 1st quarter 2011 at a glance

二零一一年第一季愛滋病流行情況一覽

HIV infections reported	103
--------------------------------	------------

愛滋病病毒感染呈報個案	
-------------	--

Male/Female 男/女	77/26
-----------------	-------

Chinese/Non-Chinese 華裔/非華裔	68/35
----------------------------	-------

Route of transmission 感染途徑	
----------------------------	--

Heterosexual 異性性接觸	22
--------------------	----

Homosexual 同性性接觸	38
------------------	----

Bisexual 雙性性接觸	3
----------------	---

Injecting drug use 注射毒品	3
-------------------------	---

Blood/blood product infusion 輸入血液 / 血製品	2
---	---

Perinatal 母嬰傳播	0
----------------	---

Undetermined 不詳	35
-----------------	----

AIDS reported	13
----------------------	-----------

愛滋病呈報個案	
---------	--

KEY MESSAGES

重要訊息

1

Anyone with suspected risk should go for an HIV test early

擔心受感染人士應儘快接受愛滋病病毒抗體測試

AIDS Hotline for HIV Testing: 2780 2211
Free, Anonymous and Confidential

愛滋熱線，預約愛滋病病毒抗體測試：
二七八零二二一一
免費、不記名、保密

Social Hygiene Clinics, Department of Health
衛生署社會衛生科診所

Private doctors
私家醫生

HIV testing services by community organisations

社區組織提供愛滋病測試服務

<u>Examples 例子</u>	<u>Tel 電話</u>
A-Backup 支援社	31167204
Action for REACH OUT 青鳥	27701002
AIDS Concern 關懷愛滋	28984411
Project Touch of The Boys' and Girls' Clubs Association 香港小童群益會 性向無限計劃	63876984
Caritas Play Safe project 明愛披星計劃	25802626
CHOICE 再思社區健康組織	31889024
Hong Kong AIDS Foundation 香港愛滋病基金會	25130513
Midnight Blue 午夜藍	24934555
Rainbow of Hong Kong 香港彩虹	81081069
The Society of Rehabilitation and Crime Prevention, HK 香港善導會	23233983
Ziteng 紫藤	23327182

KEY MESSAGES

重要訊息

- 2 Use a condom for safer sex**
採取預防措施，正確使用安全套
- 3 Break the needle habit; Methadone does it**
要美沙酮，不要針筒
- 4 Pregnant women should attend early for antenatal HIV testing**
懷孕婦女應儘早作產前愛滋病病毒抗體測試

堅守承諾 共抗愛滋

STOP AIDS KEEP THE PROMISE



2010年全球同抗愛滋病運動
World AIDS Campaign 2010

紅絲帶中心

電話 Tel: (852) 3143 7200 電郵 E-mail: rrc@dh.gov.hk
傳真 Fax: (852) 2338 0534 網址 Internet Site: <http://www.rrc.gov.hk>

愛滋熱線 AIDS Hotline: (852) 2780 2211



全球同抗愛滋運動網址 World AIDS Campaign Website:
www.worldaidscampaign.org

本海報由紅絲帶中心 - 聯合國愛滋病規劃署合作中心 (專業支援) 製作
This poster is produced by Red Ribbon Centre - UNAIDS Collaborating Centre for Technical Support

堅守承諾 共抗愛滋

STOP AIDS KEEP THE PROMISE



2010年全球同抗愛滋病運動
World AIDS Campaign 2010

紅絲帶中心

電話 Tel: (852) 3143 7200 電郵 E-mail: rrc@dh.gov.hk
傳真 Fax: (852) 2338 0534 網址 Internet Site: <http://www.rrc.gov.hk>

愛滋熱線 AIDS Hotline: (852) 2780 2211



全球同抗愛滋運動網址 World AIDS Campaign Website:
www.worldaidscampaign.org

本海報由紅絲帶中心 - 聯合國愛滋病規劃署合作中心 (專業支援) 製作
This poster is produced by Red Ribbon Centre - UNAIDS Collaborating Centre for Technical Support

<http://www.aids.gov.hk>

