



The Hong Kong STD/AIDS update is a composite report on HIV/AIDS reporting and STI caseload statistics published 3 monthly. The current issue has the updated information up to June 2005.

SPP Surveillance Team:

*Dr K H Wong, Dr Kenny Chan,
Dr Raymond Ho, Ms H Y Wong*

Correspondence to:

*Special Preventive Programme, Department of Health
c/o Red Ribbon Centre, 2/F Wang Tau Hom Jockey Club Clinic,
200 Junction Road East, Kowloon, Hong Kong
Tel: (852) 2304 6268 Fax: (852) 2338 0534
E-mail: aids@dh.gov.hk*

List of Tables / Figures

	Page no.
1	
Number of HIV/AIDS reported	49 – 52
Table 1.1	Summary table on the reported number of HIV/AIDS
Chart 1.1	Number of HIV/AIDS reported
2	
Gender distribution of reported HIV/AIDS	53 – 58
Table 2.1	Gender distribution of reported HIV
Chart 2.1	Gender distribution of reported HIV by quarter
Chart 2.2	Gender distribution of reported HIV by year
Table 2.2	Gender distribution of reported AIDS
Chart 2.3	Gender distribution of reported AIDS by quarter
Chart 2.4	Gender distribution of reported AIDS by year
3	
Ethnicity of reported HIV/AIDS	59 – 62
Table 3.1	Distribution of ethnicity of reported HIV
Chart 3.1	Distribution of ethnicity of reported HIV
Table 3.2	Distribution of ethnicity of reported AIDS
Chart 3.2	Distribution of ethnicity of reported AIDS
4	
Age distribution of reported HIV/AIDS	63 – 68
Table 4.1	Age distribution of reported HIV
Chart 4.1	Age distribution of reported HIV
Chart 4.2	Age group & gender of total reported HIV
Table 4.2	Age distribution of reported AIDS
Chart 4.3	Age distribution of reported AIDS
Chart 4.4	Age group & gender of total reported AIDS
5	
Exposure categories of reported HIV/AIDS	69 - 72
Table 5.1	Exposure categories of reported HIV
Chart 5.1	Exposure categories of reported HIV
Table 5.2	Exposure categories of reported AIDS
Chart 5.2	Exposure categories of reported AIDS

	Page no.
6 Ratio (heterosexual : homosexual / bisexual) of sexually acquired HIV infection in men	73 – 74
Table 6.1 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by quarter	
Table 6.2 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by year	
7 Injecting drug users in reported HIV/AIDS	75 – 76
Table 7.1 Injecting drug users in reported HIV/AIDS	
Table 7.2 Number of injecting drug user in reported HIV/AIDS by year	
8 Source of referral of reported HIV/AIDS	77 – 80
Table 8.1 Source of referral of reported HIV	
Chart 8.1 Source of referral of reported HIV	
Table 8.2 Source of referral of reported AIDS	
Chart 8.2 Source of referral of Reported AIDS	
9 Distribution of AIDS defining illnesses	81 – 83
Table 9.1 Distribution of AIDS defining illness of reported AIDS	
Chart 9.1 AIDS defining illness of total reported AIDS	
Chart 9.2 AIDS defining illness of reported AIDS by year	
10 Reported sexually transmitted infections (STIs) diagnosed in Social Hygiene Service	84 – 85
Table 10.1 Summary table on the reported STIs diagnosed in Social Hygiene Service	
11 Gender distribution of reported STIs	86 – 88
Table 11.1 Gender distribution of selected STI reported by Social Hygiene Service	
Table 11.2 Gender distribution of reported STI by clinic	
12 Clinic distribution	89 - 90
Chart 12.1 Number of male client reported in Q2 2005 by clinic	
Chart 12.2 Number of female client reported in Q2 2005 by clinic	

1. Number of HIV/AIDS reported

Table 1.1. Summary table on the reported number of HIV/AIDS

	This quarter (Apr – Jun 2005)		Last quarter (Jan - Mar 2005)		Same quarter last year (Apr – Jun 2004)		Cumulative (1984 – Jun 2005)	
	HIV	AIDS	HIV	AIDS	HIV	AIDS	HIV	AIDS
Sex								
Male	48	18	55	3	53	12	2,120	641
Female	22	2	10	2	20	1	527	102
Ethnicity/race								
Chinese	52	17	43	4	50	9	1,835	581
Non Chinese	18	3	22	1	23	4	812	162
<i>Asian</i>	6	1	9	0	17	3	416	96
<i>White</i>	3	1	6	1	1	1	221	59
<i>Black</i>	2	1	2	0	1	0	33	5
<i>Others</i>	7	0	5	0	4	0	142	2

(to be cont'd)

Table 1.1 (cont' d)


	This quarter (Apr – Jun 2005)		Last quarter (Jan - Mar 2005)		Same quarter last year (Apr – Jun 2004)		Cumulative (1984 – Jun 2005)	
	HIV	AIDS	HIV	AIDS	HIV	AIDS	HIV	AIDS
Age at diagnosis								
Adult	70	20	65	5	73	13	2,611	733
Child (age 13 or less)	0	0	0	0	0	0	36	10
Exposure category								
Heterosexual	28	13	23	3	41	8	1,426	503
Homosexual	17	5	16	1	16	4	522	126
Bisexual	3	1	3	0	1	0	111	31
Injecting drug use	3	0	6	0	5	0	95	13
Blood / blood product infusion	1	0	1	0	0	0	70	20
Perinatal	0	0	0	0	0	0	15	6
Undetermined	18	1	16	1	10	1	408	44

(to be cont'd)

Table 1.1 (Cont'd)

	This quarter (Apr – Jun 2005)		Last quarter (Jan - Mar 2005)		Same quarter last year (Apr – Jun 2004)		Cumulative (1984 – Jun 2005)	
Source of referral	HIV	AIDS	HIV	AIDS	HIV	AIDS	HIV	AIDS
Public hospitals / clinics / laboratories	33	14	38	5	33	12	1,168	514
Private hospitals / clinics / laboratories	8	2	13	0	9	0	576	123
Social Hygiene Clinics	10	3	4	0	12	0	405	38
AIDS service organisations (AIDS Unit + NGOs)	14	1	6	0	16	1	391	59
Hong Kong Red Cross Blood Transfusion Service	2	0	0	0	0	0	64	8
Drug rehabilitation services	3	0	4	0	3	0	43	1
Total	70	20	65	5	73	13	2,647	743

Chart 1.1 Number of HIV/AIDS reported



2. Gender distribution of reported HIV/AIDS

Table 2.1 Gender distribution of reported HIV

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
Male	48	55	53	2,120
Female	22	10	20	527
Total	70	65	73	2,647

Chart 2.1 Gender distribution of reported HIV by quarter




Chart 2.2 Gender distribution of reported HIV by year




Table 2.2 Gender distribution of reported AIDS

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
Male	18	3	12	641
Female	2	2	1	102
Total	20	5	13	743

Chart 2.3 Gender distribution of reported AIDS by quarter





Chart 2.4 Gender distribution of reported AIDS by year



3. Ethnicity of reported HIV/AIDS

Table 3.1 Distribution of ethnicity of reported HIV

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
Chinese	52	43	50	1,835
Non Chinese	18	22	23	812
<i>Asian</i>	6	9	17	416
<i>White</i>	3	6	1	221
<i>Black</i>	2	2	1	33
<i>Others</i>	7	5	4	142
Total	70	65	73	2,647

Chart 3.1 Distribution of ethnicity of reported HIV





Table 3.2 Distribution of ethnicity of reported AIDS

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
Chinese	17	4	9	581
Non Chinese	3	1	4	162
<i>Asian</i>	1	0	3	96
<i>White</i>	1	1	1	59
<i>Black</i>	1	0	0	5
<i>Others</i>	0	0	0	2
Total	20	5	13	743

Chart 3.2 Distribution of ethnicity of reported AIDS



4. Age distribution of reported HIV/AIDS

Table 4.1 Age distribution of reported HIV

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
Adult	70	65	73	2,611
Child (age 13 or less)	0	0	0	36
Total	70	65	73	2,647

Chart 4.1 Age distribution of reported HIV




Chart 4.2 Age group & gender of total reported HIV




Table 4.2 Age distribution of reported AIDS

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
Adult	20	5	13	733
Child (age 13 or less)	0	0	0	10
Total	20	5	13	743

Chart 4.3 Age distribution of reported AIDS





Chart 4.4 Age group & gender of total reported AIDS



5. Exposure categories of reported HIV/AIDS

Table 5.1 Exposure categories of reported HIV

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
Heterosexual	28	23	41	1,426
Homosexual	17	16	16	522
Bisexual	3	3	1	111
Injecting drug use	3	6	5	95
Blood / blood product infusion	1	1	0	70
Perinatal	0	0	0	15
Undetermined	18	16	10	408
Total	70	65	73	2,647

Chart 5.1 Exposure categories of reported HIV





Table 5.2 Exposure categories of reported AIDS

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
Heterosexual	13	3	8	503
Homosexual	5	1	4	126
Bisexual	1	0	0	31
Injecting drug use	0	0	0	13
Blood / blood product infusion	0	0	0	20
Perinatal	0	0	0	6
Undetermined	1	1	1	44
Total	20	5	13	743

Chart 5.2 Exposure categories of reported AIDS



6. Ratio (heterosexual : homosexual / bisexual) of sexually acquired HIV infection in men

Table 6.1 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by quarter

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
HIV	0.7 : 1	0.9 : 1	1.5 : 1	1.6 : 1
AIDS	1.8 : 1	1.0 : 1	1.8 : 1	2.6 : 1

Table 6.2 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by year

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005 (Jan–Jun)	1984 – Jun 2005
HIV	3 : 1	2 : 1	4.1 : 1	2 : 1	2.9 : 1	1.9 : 1	1.8 : 1	1.7 : 1	1.1 : 1	0.8 : 1	1.6 : 1
AIDS	7.1 : 1	2.5 : 1	5.9 : 1	4.2 : 1	23.5 : 1	5.1 : 1	2.6 : 1	4.9 : 1	3.8 : 1	1.7 : 1	2.6 : 1

7. Injecting drug users in reported HIV/AIDS

Table 7.1 Injecting drug users in reported HIV/AIDS

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
HIV (% of reported HIV)	3 (4.3%)	6 (9.2%)	5 (6.8%)	95 (3.6%)
AIDS (% of reported AIDS)	0 (0%)	0 (0%)	0 (0%)	13 (1.7%)

Table 7.2 Number of injecting drug user in reported HIV/AIDS by year

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005 (Jan-Jun)	1984 – Jun 2005
HIV (% of reported HIV)	1 (0.7%)	2 (1.1%)	1 (0.5%)	6 (2.8%)	10 (5.5%)	11 (5.2%)	10 (3.8%)	11 (4.8%)	21 (7.8%)	9 (6.7%)	95 (3.6%)
AIDS (% of reported AIDS)	1 (1.4%)	1 (1.6%)	0 (0%)	1 (1.6%)	2 (3%)	1 (1.7%)	1 (1.9%)	0 (0%)	3 (6.1%)	0 (0%)	13 (1.7%)

8. Source of referral of reported HIV/AIDS

Table 8.1 Source of referral of reported HIV

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
Public hospitals / clinics / laboratories	33	38	33	1,168
Private hospitals / clinics / laboratories	8	13	9	576
Social Hygiene Clinics	10	4	12	405
AIDS service organisations (AIDS unit + NGOs)	14	6	16	391
Hong Kong Red Cross Blood Transfusion Service	2	0	0	64
Drug rehabilitation services	3	4	3	43
Total	70	65	73	2,647

Chart 8.1 Source of referral of reported HIV





Table 8.2 Source of referral of reported AIDS

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
Public hospitals / clinics / laboratories	14	5	12	514
Private hospitals / clinics / laboratories	2	0	0	123
Social Hygiene Clinics	3	0	0	38
AIDS service organisations (AIDS unit + NGOs)	1	0	1	59
Hong Kong Red Cross Blood Transfusion Service	0	0	0	8
Drug rehabilitation services	0	0	0	1
Total	20	5	13	743

Chart 8.2 Source of referral of Reported AIDS




9. Distribution of AIDS defining illnesses

Table 9.1 Distribution of AIDS defining illness of reported AIDS


	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	Cumulative (1984 – Jun 2005)
<i>Pneumocystis carinii pneumonia</i>	3	1	5	289
<i>Mycobacterium tuberculosis</i>	8	2	5	173
Other fungal infections	2	0	0	80
Penicilliosis	4	1	1	64
Cytomegalovirus diseases	0	0	0	32
Non-TB mycobacterial infections	0	0	1	24
Kaposi's sarcoma	1	0	0	19
Others	2	1	1	62
Total	20	5	13	743

Chart 9.1 AIDS defining illness of total reported AIDS



Format: [ADI; Number; %]

Chart 9.2 AIDS defining illness of reported AIDS by year



10. Reported sexually transmitted infections (STIs) diagnosed in Social Hygiene Service

Table 10.1 Summary table on the reported STIs diagnosed in Social Hygiene Service

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	In year 2004
Syphilis				
<i>Primary</i>	17	22	30	124
<i>Secondary</i>	7	7	14	49
<i>Early latent</i>	40	16	39	132
<i>Late latent</i>	201	194	230	877
<i>Late (cardiovascular / neuro /ocular)</i>	0	2	4	10
<i>Congenital (early)</i>	0	0	0	0
<i>Congenital (late)</i>	0	0	1	1
Syphilis total	265	241	318	1,193

(to be cont'd)

Table 10.1 (Cont'd)

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	In year 2004
Gonorrhoea	485	450	623	2,492
Non-gonococcal urethritis (Male)	1,363	928	1,425	5,281
Non-specific genital infection (Female)	1,315	1,058	1,562	5,839
Genital wart	759	560	846	3,249
<i>Herpes genitalis</i>	272	232	292	1,085
Pediculosis pubis	42	41	53	205
Trichomonas	158	109	172	636
Genital ulcer	34	21	38	124
Chancroid / <i>Lymphogranuloma venereum</i>	0	0	0	0
Others	661	335	463	1,714
Total	5,354	3,975	5,792	21,818

11. Gender distribution of reported STIs

Table 11.1 Gender distribution of selected STI reported by Social Hygiene Service

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	In year 2004
Primary Syphilis				
Male (M)	17	20	30	121
Female (F)	0	2	0	3
M:F	N.A.	10 : 1	N.A.	40.3 : 1
Gonorrhoea				
Male (M)	413	402	516	2,128
Female (F)	72	48	107	364
M:F	5.7 : 1	8.4 : 1	4.8 : 1	5.8 : 1
NGU / NSGI *				
Male (M)	1363	928	1,425	5,281
Female (F)	1315	1,058	1,562	5,839
M:F	1.0 : 1	0.9 : 1	0.9 : 1	0.9 : 1

(to be cont'd)

Table 11.1 (Cont'd)

	This quarter (Apr – Jun 2005)	Last quarter (Jan - Mar 2005)	Same quarter last year (Apr – Jun 2004)	In year 2004
Genital wart				
Male (M)	569	423	654	2,554
Female (F)	190	137	192	695
M:F	3.0 : 1	3.1 : 1	3.4 : 1	3.7 : 1
<i>Herpes genitails</i>				
Male (M)	223	186	240	877
Female (F)	49	46	52	208
M:F	4.6 : 1	4.0 : 1	4.6 : 1	4.2 : 1

* NGU = Non-gonococcal urethritis
 NSGI = Non-specific genital infection


Table 11.2 Gender distribution of reported STI by clinic

	This quarter (Apr – Jun 2005)		Last quarter (Jan - Mar 2005)		Same quarter last year (Apr – Jun 2004)		In year 2004	
	Male	Female	Male	Female	Male	Female	Male	Female
Chai Wan	59	65	65	33	71	56	262	211
Lek Yuen	0	0	100	86	238	253	932	880
Wan Chai	480	295	384	237	588	366	2,092	1,398
Yau Ma Tei	1,722	1,246	1,187	1,066	1,608	1,330	5,893	4,958
South Kwai Chung*	--	--	--	--	-	-	357	110
Yung Fung Shee	472	243	198	114	403	192	1,433	733
Tuen Mun	247	204	210	164	291	301	1,060	1,057
Fanling ITC	169	152	62	69	45	50	209	233
Total	3,149	2,205	2,206	1,769	3,244	2,548	12,238	9,580

Remark: * South Kwai Chung Clinic was closed on 27.3.2004


12. Clinic distribution

Chart 12.1 Number of male client reported in Q2 2005 by clinic



Format : [Clinic ; Number ; %]

Chart 12.2 Number of female client reported in Q2 2005 by clinic



Format : [Clinic ; Number ; %]