



The Hong Kong STD/AIDS update is a composite report on HIV/AIDS reporting and STI caseload statistics published 3 monthly. The current issue has the updated information up to September 2005.

SPP Surveillance Team:

*Dr K H Wong, Dr Kenny Chan,
Dr Raymond HO, Ms H Y Wong*

Correspondence to:

*Special Preventive Programme,
Centre for Health Protection, Department of Health
c/o Red Ribbon Centre, 2/F Wang Tau Hom Jockey Club Clinic,
200 Junction Road East, Kowloon, Hong Kong
Tel: (852) 2304 6268 Fax: (852) 2338 0534
E-mail: aids@dh.gov.hk*

List of Tables / Figures

	Page no.
1 Number of HIV/AIDS reported	94 – 97
Table 1.1 Summary table on the reported number of HIV/AIDS	
Chart 1.1 Number of HIV/AIDS reported	
2 Gender distribution of reported HIV/AIDS	98 – 103
Table 2.1 Gender distribution of reported HIV	
Chart 2.1 Gender distribution of reported HIV by quarter	
Chart 2.2 Gender distribution of reported HIV by year	
Table 2.2 Gender distribution of reported AIDS	
Chart 2.3 Gender distribution of reported AIDS by quarter	
Chart 2.4 Gender distribution of reported AIDS by year	
3 Ethnicity of reported HIV/AIDS	104 – 107
Table 3.1 Distribution of ethnicity of reported HIV	
Chart 3.1 Distribution of ethnicity of reported HIV	
Table 3.2 Distribution of ethnicity of reported AIDS	
Chart 3.2 Distribution of ethnicity of reported AIDS	
4 Age distribution of reported HIV/AIDS	108 – 113
Table 4.1 Age distribution of reported HIV	
Chart 4.1 Age distribution of reported HIV	
Chart 4.2 Age group & gender of total reported HIV	
Table 4.2 Age distribution of reported AIDS	
Chart 4.3 Age distribution of reported AIDS	
Chart 4.4 Age group & gender of total reported AIDS	
5 Exposure categories of reported HIV/AIDS	114 – 117
Table 5.1 Exposure categories of reported HIV	
Chart 5.1 Exposure categories of reported HIV	
Table 5.2 Exposure categories of reported AIDS	
Chart 5.2 Exposure categories of reported AIDS	

	Page no.
6 Ratio (heterosexual : homosexual / bisexual) of sexually acquired HIV infection in men	118 – 119
Table 6.1 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by quarter	
Table 6.2 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by year	
7 Injecting drug users in reported HIV/AIDS	120 – 121
Table 7.1 Injecting drug users in reported HIV/AIDS	
Table 7.2 Number of injecting drug user in reported HIV/AIDS by year	
8 Source of referral of reported HIV/AIDS	122 – 125
Table 8.1 Source of referral of reported HIV	
Chart 8.1 Source of referral of reported HIV	
Table 8.2 Source of referral of reported AIDS	
Chart 8.2 Source of referral of Reported AIDS	
9 Distribution of AIDS defining illnesses	126 – 128
Table 9.1 Distribution of AIDS defining illness of reported AIDS	
Chart 9.1 AIDS defining illness of total reported AIDS	
Chart 9.2 AIDS defining illness of reported AIDS by year	
10 Reported sexually transmitted infections (STIs) diagnosed in Social Hygiene Service	129 – 130
Table 10.1 Summary table on the reported STIs diagnosed in Social Hygiene Service	
11 Gender distribution of reported STIs	131 – 133
Table 11.1 Gender distribution of selected STI reported by Social Hygiene Service	
Table 11.2 Gender distribution of reported STI by clinic	
12 Clinic distribution	134 – 135
Chart 12.1 Number of male client reported in Q3 2005 by clinic	
Chart 12.2 Number of female client reported in Q3 2005 by clinic	

1. Number of HIV/AIDS reported

Table 1.1. Summary table on the reported number of HIV/AIDS

	This quarter (Jul – Sep 2005)		Last quarter (Apr – Jun 2005)		Same quarter last year (Jul – Sep 2004)		Cumulative (1984 – Sep 2005)	
	HIV	AIDS	HIV	AIDS	HIV	AIDS	HIV	AIDS
Sex								
Male	76	14	48	18	52	12	2,196	655
Female	15	3	22	2	21	2	542	105
Ethnicity/race								
Chinese	63	15	52	17	48	13	1,898	596
Non Chinese	28	2	18	3	25	1	840	164
<i>Asian</i>	15	2	6	1	14	1	431	98
<i>White</i>	4	0	3	1	2	0	226	59
<i>Black</i>	0	0	2	1	2	0	33	5
<i>Others</i>	9	0	7	0	7	0	150	2

(to be cont'd)

Table 1.1 (cont' d)


	This quarter (Jul – Sep 2005)		Last quarter (Apr – Jun 2005)		Same quarter last year (Jul – Sep 2004)		Cumulative (1984 – Sep 2005)	
	HIV	AIDS	HIV	AIDS	HIV	AIDS	HIV	AIDS
Age at diagnosis								
Adult	89	17	70	20	73	14	2,700	750
Child (age 13 or less)	2	0	0	0	0	0	38	10
Exposure category								
Heterosexual	28	6	28	13	26	11	1,455	509
Homosexual	32	3	19	5	16	2	556	129
Bisexual	4	2	3	1	1	0	115	33
Injecting drug use	4	0	3	0	6	0	99	13
Blood / blood product infusion	2	1	1	0	0	0	72	21
Perinatal	2	0	0	0	0	0	17	6
Undetermined	19	5	16	1	24	1	424	49

(to be cont'd)

Table 1.1 (Cont'd)

	This quarter (Jul – Sep 2005)		Last quarter (Apr – Jun 2005)		Same quarter last year (Jul – Sep 2004)		Cumulative (1984 – Sep 2005)	
Source of referral	HIV	AIDS	HIV	AIDS	HIV	AIDS	HIV	AIDS
Public hospitals / clinics / laboratories	41	13	33	14	35	12	1,209	527
Private hospitals / clinics / laboratories	22	1	8	2	10	1	598	124
Social Hygiene Clinics	7	0	10	3	8	0	412	38
AIDS service organisations (AIDS Unit + NGOs)	19	3	14	1	13	1	410	62
Hong Kong Red Cross Blood Transfusion Service	1	0	2	0	0	0	65	8
Drug rehabilitation services	1	0	3	0	7	0	44	1
Total	91	17	70	20	73	14	2,738	760

Chart 1.1 Number of HIV/AIDS reported



2. Gender distribution of reported HIV/AIDS

Table 2.1 Gender distribution of reported HIV

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
Male	76	48	52	2,196
Female	15	22	21	542
Total	91	70	73	2,738

Chart 2.1 Gender distribution of reported HIV by quarter




Chart 2.2 Gender distribution of reported HIV by year




Table 2.2 Gender distribution of reported AIDS

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
Male	14	18	12	655
Female	3	2	2	105
Total	17	20	14	760

Chart 2.3 Gender distribution of reported AIDS by quarter





Chart 2.4 Gender distribution of reported AIDS by year



3. Ethnicity of reported HIV/AIDS

Table 3.1 Distribution of ethnicity of reported HIV

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
Chinese	63	52	48	1,898
Non Chinese	28	18	25	840
<i>Asian</i>	15	6	14	431
<i>White</i>	4	3	2	226
<i>Black</i>	0	2	2	33
<i>Others</i>	9	7	7	150
Total	91	70	73	2,738

Chart 3.1 Distribution of ethnicity of reported HIV





Table 3.2 Distribution of ethnicity of reported AIDS

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
Chinese	15	17	13	596
Non Chinese	2	3	1	164
<i>Asian</i>	2	1	1	98
<i>White</i>	0	1	0	59
<i>Black</i>	0	1	0	5
<i>Others</i>	0	0	0	2
Total	17	20	14	760

Chart 3.2 Distribution of ethnicity of reported AIDS



4. Age distribution of reported HIV/AIDS

Table 4.1 Age distribution of reported HIV

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
Adult	89	70	73	2,700
Child (age 13 or less)	2	0	0	38
Total	91	70	73	2,738

Chart 4.1 Age distribution of reported HIV




Chart 4.2 Age group & gender of total reported HIV




Table 4.2 Age distribution of reported AIDS

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
Adult	17	20	14	750
Child (age 13 or less)	0	0	0	10
Total	17	20	14	760

Chart 4.3 Age distribution of reported AIDS





Chart 4.4 Age group & gender of total reported AIDS



5. Exposure categories of reported HIV/AIDS

Table 5.1 Exposure categories of reported HIV

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
Heterosexual	28	28	26	1,455
Homosexual	32	19	16	556
Bisexual	4	3	1	115
Injecting drug use	4	3	6	99
Blood / blood product infusion	2	1	0	72
Perinatal	2	0	0	17
Undetermined	19	16	24	424
Total	91	70	73	2,738

Chart 5.1 Exposure categories of reported HIV





Table 5.2 Exposure categories of reported AIDS

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
Heterosexual	6	13	11	509
Homosexual	3	5	2	129
Bisexual	2	1	0	33
Injecting drug use	0	0	0	13
Blood / blood product infusion	1	0	0	21
Perinatal	0	0	0	6
Undetermined	5	1	1	49
Total	17	20	14	760

Chart 5.2 Exposure categories of reported AIDS



6. Ratio (heterosexual : homosexual / bisexual) of sexually acquired HIV infection in men

Table 6.1 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by quarter

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
HIV	0.5 : 1	0.6 : 1	0.9 : 1	1.5 : 1
AIDS	0.8 : 1	1.8 : 1	4.5 : 1	2.5 : 1

Table 6.2 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by year

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005 (Jan-Sep)	1984 – Sep 2005
HIV	3.0 : 1	2.0 : 1	4.1 : 1	2.0 : 1	2.9 : 1	1.9 : 1	1.8 : 1	1.7 : 1	1.1 : 1	0.6 : 1	1.5 : 1
AIDS	7.1 : 1	2.5 : 1	5.9 : 1	4.2 : 1	23.5 : 1	5.1 : 1	2.6 : 1	4.9 : 1	3.8 : 1	1.3 : 1	2.5 : 1

7. Injecting drug users in reported HIV/AIDS

Table 7.1 Injecting drug users in reported HIV/AIDS

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
HIV (% of reported HIV)	4 (4.4%)	3 (4.3%)	6 (8.2%)	99 (3.6%)
AIDS (% of reported AIDS)	0 (0%)	0 (0%)	0 (0%)	13 (1.7%)

Table 7.2 Number of injecting drug user in reported HIV/AIDS by year

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005 (Jan-Sep)	1984 – Sep 2005
HIV (% of reported HIV)	1 (0.7%)	2 (1.1%)	1 (0.5%)	6 (2.8%)	10 (5.5%)	11 (5.2%)	10 (3.8%)	11 (4.8%)	21 (7.8%)	13 (5.8%)	99 (3.6%)
AIDS (% of reported AIDS)	1 (1.4%)	1 (1.6%)	0 (0%)	1 (1.6%)	2 (3%)	1 (1.7%)	1 (1.9%)	0 (0%)	3 (6.1%)	0 (0%)	13 (1.7%)

8. Source of referral of reported HIV/AIDS

Table 8.1 Source of referral of reported HIV

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
Public hospitals / clinics / laboratories	41	33	35	1,209
Private hospitals / clinics / laboratories	22	8	10	598
Social Hygiene Clinics	7	10	8	412
AIDS service organisations (AIDS unit + NGOs)	19	14	13	410
Hong Kong Red Cross Blood Transfusion Service	1	2	0	65
Drug rehabilitation services	1	3	7	44
Total	91	70	73	2,738

Chart 8.1 Source of referral of reported HIV





Table 8.2 Source of referral of reported AIDS

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
Public hospitals / clinics / laboratories	13	14	12	527
Private hospitals / clinics / laboratories	1	2	1	124
Social Hygiene Clinics	0	3	0	38
AIDS service organisations (AIDS unit + NGOs)	3	1	1	62
Hong Kong Red Cross Blood Transfusion Service	0	0	0	8
Drug rehabilitation services	0	0	0	1
Total	17	20	14	760

Chart 8.2 Source of referral of Reported AIDS




9. Distribution of AIDS defining illnesses

Table 9.1 Distribution of AIDS defining illness of reported AIDS


	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	Cumulative (1984 – Sep 2005)
<i>Pneumocystis carinii pneumonia</i>	8	3	8	297
<i>Mycobacterium tuberculosis</i>	5	8	1	178
Other fungal infections	1	2	2	81
Penicilliosis	1	4	1	65
Cytomegalovirus diseases	1	0	1	33
Non-TB mycobacterial infections	0	0	1	24
Kaposi's sarcoma	0	1	0	19
Others	1	2	0	63
Total	17	20	14	760

Chart 9.1 AIDS defining illness of total reported AIDS



Format: [ADI; Number; %]

Chart 9.2 AIDS defining illness of reported AIDS by year



10. Reported sexually transmitted infections (STIs) diagnosed in Social Hygiene Service

Table 10.1 Summary table on the reported STIs diagnosed in Social Hygiene Service

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	In year 2004
Syphilis				
<i>Primary</i>	23	17	37	124
<i>Secondary</i>	13	7	15	49
<i>Early latent</i>	34	40	35	132
<i>Late latent</i>	225	201	239	877
<i>Late (cardiovascular / neuro /ocular)</i>	2	0	1	10
<i>Congenital (early)</i>	0	0	0	0
<i>Congenital (late)</i>	0	0	0	1
Syphilis total	297	265	327	1,193

(to be cont'd)

Table 10.1 (Cont'd)

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	In year 2004
Gonorrhoea	439	485	587	2,492
Non-gonococcal urethritis (Male)	1,152	1,363	1,310	5,281
Non-specific genital infection (Female)	1,231	1,315	1,424	5,839
Genital wart	718	759	818	3,249
<i>Herpes genitalis</i>	242	272	289	1,085
Pediculosis pubis	32	42	46	205
Trichomonas	170	158	171	636
Genital ulcer	15	34	24	124
Chancroid / <i>Lymphogranuloma venereum</i>	0	0	0	0
Others	414	661	463	1,714
Total	4,710	5,354	5,459	21,818

11. Gender distribution of reported STIs

Table 11.1 Gender distribution of selected STI reported by Social Hygiene Service

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	In year 2004
Primary Syphilis				
Male (M)	22	17	36	121
Female (F)	1	0	1	3
M:F	22 : 1	N.A.	36 : 1	40.3 : 1
Gonorrhoea				
Male (M)	385	413	514	2,128
Female (F)	54	72	73	364
M:F	7.1 : 1	5.7 : 1	7.0 : 1	5.8 : 1
NGU / NSGI *				
Male (M)	1,152	1,363	1,310	5,281
Female (F)	1,231	1,315	1,424	5,839
M:F	0.9 : 1	1.0 : 1	0.9 : 1	0.9 : 1

(to be cont'd)

Table 11.1 (Cont'd)

	This quarter (Jul – Sep 2005)	Last quarter (Apr – Jun 2005)	Same quarter last year (Jul – Sep 2004)	In year 2004
Genital wart				
Male (M)	563	569	637	2,554
Female (F)	155	190	181	695
M:F	3.6 : 1	3.0 : 1	3.5 : 1	3.7 : 1
<i>Herpes genitails</i>				
Male (M)	200	223	226	877
Female (F)	42	49	63	208
M:F	4.8 : 1	4.6 : 1	3.6 : 1	4.2 : 1

* NGU = Non-gonococcal urethritis
 NSGI = Non-specific genital infection


Table 11.2 Gender distribution of reported STI by clinic

	This quarter (Jul – Sep 2005)		Last quarter (Apr – Jun 2005)		Same quarter last year (Jul – Sep 2004)		In year 2004	
	Male	Female	Male	Female	Male	Female	Male	Female
Chai Wan	53	46	59	65	75	68	262	211
Lek Yuen	0	0	0	0	258	216	932	880
Wan Chai	443	299	480	295	532	342	2,092	1,398
Yau Ma Tei	1,327	1,128	1,722	1,246	1,478	1,233	5,893	4,958
South Kwai Chung*	-	-	-	-	-	-	357	110
Yung Fung Shee	357	233	472	243	370	219	1,433	733
Tuen Mun	201	232	247	204	253	260	1,060	1,057
Fanling ITC	211	180	169	152	77	78	209	233
Total	2,592	2,118	3,149	2,205	3,043	2,416	12,238	9,580

Remark: * South Kwai Chung Clinic was closed on 27.3.2004


12. Clinic distribution

Chart 12.1 Number of male client reported in Q3 2005 by clinic



Format : [Clinic ; Number ; %]

Chart 12.2 Number of female client reported in Q3 2005 by clinic



Format : [Clinic ; Number ; %]