



The Hong Kong STD/AIDS update is a composite report on HIV/AIDS reporting and STI caseload statistics published 3 monthly. The current issue has the updated information up to December 2008.

**SPP Surveillance Team:**

*Dr. Darwin MAK*

*Ms Sau Ling CHENG*

**Correspondence to:**

*Special Preventive Programme,*

*Centre for Health Protection, Department of Health*

*c/o Red Ribbon Centre, 2/F Wang Tau Hom Jockey Club Clinic,*

*200 Junction Road East, Kowloon, Hong Kong*

*Tel: (852) 2304 6268 Fax: (852) 2338 0534*

*E-mail: [aids@dh.gov.hk](mailto:aids@dh.gov.hk)*

## List of Tables / Figures

|                                                            | Page no.  |
|------------------------------------------------------------|-----------|
| 1 Number of HIV/AIDS reported                              | 139 – 142 |
| Table 1.1 Summary table on the reported number of HIV/AIDS |           |
| Chart 1.1 Number of HIV/AIDS reported                      |           |
| 2 Gender distribution of reported HIV/AIDS                 | 143 – 148 |
| Table 2.1 Gender distribution of reported HIV              |           |
| Chart 2.1 Gender distribution of reported HIV by quarter   |           |
| Chart 2.2 Gender distribution of reported HIV by year      |           |
| Table 2.2 Gender distribution of reported AIDS             |           |
| Chart 2.3 Gender distribution of reported AIDS by quarter  |           |
| Chart 2.4 Gender distribution of reported AIDS by year     |           |
| 3 Ethnicity of reported HIV/AIDS                           | 149 – 152 |
| Table 3.1 Distribution of ethnicity of reported HIV        |           |
| Chart 3.1 Distribution of ethnicity of reported HIV        |           |
| Table 3.2 Distribution of ethnicity of reported AIDS       |           |
| Chart 3.2 Distribution of ethnicity of reported AIDS       |           |
| 4 Age distribution of reported HIV/AIDS                    | 153 – 158 |
| Table 4.1 Age distribution of reported HIV                 |           |
| Chart 4.1 Age distribution of reported HIV                 |           |
| Chart 4.2 Age group & gender of total reported HIV         |           |
| Table 4.2 Age distribution of reported AIDS                |           |
| Chart 4.3 Age distribution of reported AIDS                |           |
| Chart 4.4 Age group & gender of total reported AIDS        |           |
| 5 Exposure categories of reported HIV/AIDS                 | 159 - 162 |
| Table 5.1 Exposure categories of reported HIV              |           |
| Chart 5.1 Exposure categories of reported HIV              |           |
| Table 5.2 Exposure categories of reported AIDS             |           |
| Chart 5.2 Exposure categories of reported AIDS             |           |

|                                                                                                                          | Page no.  |
|--------------------------------------------------------------------------------------------------------------------------|-----------|
| 6 Ratio (heterosexual : homosexual / bisexual) of sexually acquired HIV infection in men                                 | 163 – 164 |
| Table 6.1 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by quarter |           |
| Table 6.2 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by year    |           |
| 7 Injecting drug users in reported HIV/AIDS                                                                              | 165 – 166 |
| Table 7.1 Injecting drug users in reported HIV/AIDS                                                                      |           |
| Table 7.2 Number of injecting drug user in reported HIV/AIDS by year                                                     |           |
| 8 Source of referral of reported HIV/AIDS                                                                                | 167 – 170 |
| Table 8.1 Source of referral of reported HIV                                                                             |           |
| Chart 8.1 Source of referral of reported HIV                                                                             |           |
| Table 8.2 Source of referral of reported AIDS                                                                            |           |
| Chart 8.2 Source of referral of Reported AIDS                                                                            |           |
| 9 Distribution of AIDS defining illnesses                                                                                | 171 – 173 |
| Table 9.1 Distribution of AIDS defining illness of reported AIDS                                                         |           |
| Chart 9.1 AIDS defining illness of total reported AIDS                                                                   |           |
| Chart 9.2 AIDS defining illness of reported AIDS by year                                                                 |           |
| 10 Reported sexually transmitted infections (STIs) diagnosed in Social Hygiene Service                                   | 174 – 175 |
| Table 10.1 Summary table on the reported STIs diagnosed in Social Hygiene Service                                        |           |
| 11 Gender distribution of reported STIs                                                                                  | 176 – 178 |
| Table 11.1 Gender distribution of selected STI reported by Social Hygiene Service                                        |           |
| Table 11.2 Gender distribution of reported STI by clinic                                                                 |           |
| 12 Clinic distribution                                                                                                   | 179 – 180 |
| Chart 12.1 Number of male client reported in Q1 2008 by clinic                                                           |           |
| Chart 12.2 Number of female client reported in Q1 2008 by clinic                                                         |           |

## 1. Number of HIV/AIDS reported

**Table 1.1 Summary table on the reported number of HIV/AIDS**

|                       | This quarter<br>(Oct - Dec 2008) |      | Last quarter<br>(Jul – Sep 2008) |      | Same quarter last year<br>(Oct - Dec 2007) |      | Cumulative<br>(1984 – 2008) |      |
|-----------------------|----------------------------------|------|----------------------------------|------|--------------------------------------------|------|-----------------------------|------|
|                       | HIV                              | AIDS | HIV                              | AIDS | HIV                                        | AIDS | HIV                         | AIDS |
| <b>Sex</b>            |                                  |      |                                  |      |                                            |      |                             |      |
| Male                  | 85                               | 27   | 96                               | 28   | 74                                         | 16   | 3,267                       | 881  |
| Female                | 21                               | 5    | 23                               | 4    | 13                                         | 1    | 780                         | 149  |
| <b>Ethnicity/race</b> |                                  |      |                                  |      |                                            |      |                             |      |
| Chinese               | 65                               | 27   | 71                               | 24   | 58                                         | 13   | 2,706                       | 803  |
| Non Chinese           | 41                               | 5    | 48                               | 8    | 29                                         | 4    | 1,341                       | 227  |
| <i>Asian</i>          | 11                               | 3    | 21                               | 6    | 16                                         | 3    | 692                         | 146  |
| <i>White</i>          | 9                                | 1    | 5                                | 1    | 2                                          | 1    | 294                         | 69   |
| <i>Black</i>          | 2                                | 1    | 3                                | 1    | 0                                          | 0    | 59                          | 11   |
| <i>Others</i>         | 19                               | 0    | 19                               | 0    | 11                                         | 0    | 296                         | 1    |

(to be cont'd)

**Table 1.1 (cont'd)**


|                                | This quarter<br>(Oct - Dec 2008) |      | Last quarter<br>(Jul – Sep 2008) |      | Same quarter last year<br>(Oct - Dec 2007) |      | Cumulative<br>(1984 – 2008) |       |
|--------------------------------|----------------------------------|------|----------------------------------|------|--------------------------------------------|------|-----------------------------|-------|
|                                | HIV                              | AIDS | HIV                              | AIDS | HIV                                        | AIDS | HIV                         | AIDS  |
| <b>Age at diagnosis</b>        |                                  |      |                                  |      |                                            |      |                             |       |
| Adult                          | 106                              | 32   | 119                              | 32   | 87                                         | 17   | 4,006                       | 1,020 |
| Child (age 13 or less)         | 0                                | 0    | 0                                | 0    | 0                                          | 0    | 41                          | 10    |
| <b>Exposure category</b>       |                                  |      |                                  |      |                                            |      |                             |       |
| Heterosexual                   | 24                               | 19   | 37                               | 13   | 23                                         | 8    | 1,866                       | 649   |
| Homosexual                     | 36                               | 9    | 31                               | 7    | 29                                         | 4    | 973                         | 198   |
| Bisexual                       | 4                                | 2    | 4                                | 1    | 8                                          | 1    | 162                         | 40    |
| Injecting drug use             | 6                                | 0    | 15                               | 6    | 7                                          | 4    | 257                         | 43    |
| Blood / blood product infusion | 0                                | 1    | 1                                | 1    | 1                                          | 0    | 78                          | 24    |
| Perinatal                      | 0                                | 0    | 0                                | 0    | 0                                          | 0    | 20                          | 6     |
| Undetermined                   | 36                               | 1    | 31                               | 4    | 19                                         | 0    | 691                         | 70    |

**(to be cont'd)**

**Table 1.1 (Cont'd)**

|                                                  | This quarter<br>(Oct - Dec 2008) |           | Last quarter<br>(Jul – Sep 2008) |           | Same quarter last year<br>(Oct - Dec 2007) |           | Cumulative<br>(1984 – 2008) |              |
|--------------------------------------------------|----------------------------------|-----------|----------------------------------|-----------|--------------------------------------------|-----------|-----------------------------|--------------|
|                                                  | HIV                              | AIDS      | HIV                              | AIDS      | HIV                                        | AIDS      | HIV                         | AIDS         |
| <b>Source of referral</b>                        |                                  |           |                                  |           |                                            |           |                             |              |
| Public hospitals / clinics /<br>laboratories     | 37                               | 24        | 52                               | 28        | 35                                         | 14        | 1,790                       | 749          |
| Private hospitals / clinics /<br>laboratories    | 23                               | 6         | 28                               | 3         | 19                                         | 1         | 898                         | 156          |
| Social Hygiene Clinics                           | 15                               | 1         | 16                               | 0         | 7                                          | 1         | 577                         | 44           |
| AIDS service organisations<br>(AIDS Unit + NGOs) | 26                               | 1         | 19                               | 0         | 22                                         | 1         | 626                         | 71           |
| Hong Kong Red Cross Blood<br>Transfusion Service | 2                                | 0         | 2                                | 1         | 2                                          | 0         | 89                          | 9            |
| Drug rehabilitation services                     | 3                                | 0         | 2                                | 0         | 2                                          | 0         | 67                          | 1            |
| <b>Total</b>                                     | <b>106</b>                       | <b>32</b> | <b>119</b>                       | <b>32</b> | <b>87</b>                                  | <b>17</b> | <b>4,047</b>                | <b>1,030</b> |

Chart 1.1 Number of HIV/AIDS reported




## 2. Gender distribution of reported HIV/AIDS

**Table 2.1 Gender distribution of reported HIV**


|              | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|--------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Male         | 85                               | 96                               | 74                                         | 3,267                       |
| Female       | 21                               | 23                               | 13                                         | 780                         |
| <b>Total</b> | <b>106</b>                       | <b>119</b>                       | <b>87</b>                                  | <b>4,047</b>                |



Chart 2.1 Gender distribution of reported HIV by quarter



**Chart 2.2 Gender distribution of reported HIV by year**



**Table 2.2 Gender distribution of reported AIDS**

|              | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|--------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Male         | 27                               | 28                               | 16                                         | 881                         |
| Female       | 5                                | 4                                | 1                                          | 149                         |
| <b>Total</b> | <b>32</b>                        | <b>32</b>                        | <b>17</b>                                  | <b>1,030</b>                |

Chart 2.3 Gender distribution of reported AIDS by quarter





Chart 2.4 Gender distribution of reported AIDS by year




### 3. Ethnicity of reported HIV/AIDS

**Table 3.1 Distribution of ethnicity of reported HIV**

|                    | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|--------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| <b>Chinese</b>     | 65                               | 71                               | 58                                         | 2,706                       |
| <b>Non Chinese</b> | 41                               | 48                               | 29                                         | 1,341                       |
| <i>Asian</i>       | 11                               | 21                               | 16                                         | 692                         |
| <i>White</i>       | 9                                | 5                                | 2                                          | 294                         |
| <i>Black</i>       | 2                                | 3                                | 0                                          | 59                          |
| <i>Others</i>      | 19                               | 19                               | 11                                         | 296                         |
| <b>Total</b>       | <b>106</b>                       | <b>119</b>                       | <b>87</b>                                  | <b>4,047</b>                |

**Chart 3.1 Distribution of ethnicity of reported HIV**




**Table 3.2 Distribution of ethnicity of reported AIDS**

|                    | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|--------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| <b>Chinese</b>     | 27                               | 24                               | 13                                         | 803                         |
| <b>Non Chinese</b> | 5                                | 8                                | 4                                          | 227                         |
| <i>Asian</i>       | 3                                | 6                                | 3                                          | 146                         |
| <i>White</i>       | 1                                | 1                                | 1                                          | 69                          |
| <i>Black</i>       | 1                                | 1                                | 0                                          | 11                          |
| <i>Others</i>      | 0                                | 0                                | 0                                          | 1                           |
| <b>Total</b>       | <b>32</b>                        | <b>32</b>                        | <b>17</b>                                  | <b>1,030</b>                |



Chart 3.2 Distribution of ethnicity of reported AIDS



#### 4. Age distribution of reported HIV/AIDS

**Table 4.1 Age distribution of reported HIV**

|                        | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Adult                  | 106                              | 119                              | 87                                         | 4,006                       |
| Child (age 13 or less) | 0                                | 0                                | 0                                          | 41                          |
| <b>Total</b>           | <b>106</b>                       | <b>119</b>                       | <b>87</b>                                  | <b>4,047</b>                |

**Chart 4.1 Age distribution of reported HIV**





Chart 4.2 Age group & gender of total reported HIV



**Table 4.2 Age distribution of reported AIDS**

|                        | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Adult                  | 32                               | 32                               | 17                                         | 1,020                       |
| Child (age 13 or less) | 0                                | 0                                | 0                                          | 10                          |
| <b>Total</b>           | <b>32</b>                        | <b>32</b>                        | <b>17</b>                                  | <b>1,030</b>                |

**Chart 4.3 Age distribution of reported AIDS**





Chart 4.4 Age group & gender of total reported AIDS




## 5. Exposure categories of reported HIV/AIDS

**Table 5.1 Exposure categories of reported HIV**

|                                | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|--------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Heterosexual                   | 24                               | 37                               | 23                                         | 1,866                       |
| Homosexual                     | 36                               | 31                               | 29                                         | 973                         |
| Bisexual                       | 4                                | 4                                | 8                                          | 162                         |
| Injecting drug use             | 6                                | 15                               | 7                                          | 257                         |
| Blood / blood product infusion | 0                                | 1                                | 1                                          | 78                          |
| Perinatal                      | 0                                | 0                                | 0                                          | 20                          |
| Undetermined                   | 36                               | 31                               | 19                                         | 691                         |
| <b>Total</b>                   | <b>106</b>                       | <b>119</b>                       | <b>87</b>                                  | <b>4,047</b>                |




Chart 5.1 Exposure categories of reported HIV



**Table 5.2 Exposure categories of reported AIDS**

|                                | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|--------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Heterosexual                   | 19                               | 13                               | 8                                          | 649                         |
| Homosexual                     | 9                                | 7                                | 4                                          | 198                         |
| Bisexual                       | 2                                | 1                                | 1                                          | 40                          |
| Injecting drug use             | 0                                | 6                                | 4                                          | 43                          |
| Blood / blood product infusion | 1                                | 1                                | 0                                          | 24                          |
| Perinatal                      | 0                                | 0                                | 0                                          | 6                           |
| Undetermined                   | 1                                | 4                                | 0                                          | 70                          |
| <b>Total</b>                   | <b>32</b>                        | <b>32</b>                        | <b>17</b>                                  | <b>1,030</b>                |

Chart 5.2 Exposure categories of reported AIDS



## 6. Ratio (heterosexual : homosexual / bisexual) of sexually acquired HIV infection in men

**Table 6.1 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by quarter**

|      | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| HIV  | 0.4 : 1                          | 0.8 : 1                          | 0.5 : 1                                    | 1.1 : 1                     |
| AIDS | 1.4 : 1                          | 1.3 : 1                          | 1.4 : 1                                    | 2.0 : 1                     |

**Table 6.2 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by year**

|      | 1999    | 2000     | 2001    | 2002    | 2003    | 2004    | 2005    | 2006    | 2007    | 2008    | 1984-2008 |
|------|---------|----------|---------|---------|---------|---------|---------|---------|---------|---------|-----------|
| HIV  | 2.0 : 1 | 2.8 : 1  | 1.9 : 1 | 1.8 : 1 | 1.7 : 1 | 1.1 : 1 | 0.8 : 1 | 0.7 : 1 | 0.4 : 1 | 0.6 : 1 | 1.1 : 1   |
| AIDS | 4.2 : 1 | 23.5 : 1 | 5.3 : 1 | 2.7 : 1 | 4.9 : 1 | 3.8 : 1 | 1.8 : 1 | 0.8 : 1 | 1.5 : 1 | 1.4 : 1 | 2.0 : 1   |

## 7. Injecting drug users in reported HIV/AIDS

**Table 7.1 Injecting drug users in reported HIV/AIDS**

|                              | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| HIV<br>(% of reported HIV)   | 6<br>(5.7%)                      | 15<br>(12.6%)                    | 7<br>(8.0%)                                | 257<br>(6.4%)               |
| AIDS<br>(% of reported AIDS) | 0<br>(0.0%)                      | 6<br>(18.8%)                     | 4<br>(23.5%)                               | 43<br>(4.2%)                |

**Table 7.2 Number of injecting drug user in reported HIV/AIDS by year**

|                                    | 1999         | 2000          | 2001          | 2002          | 2003          | 2004          | 2005          | 2006           | 2007           | 2008          | 1984-2008      |
|------------------------------------|--------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|----------------|---------------|----------------|
| HIV<br>(% of<br>reported<br>HIV)   | 6<br>(2.82%) | 10<br>(5.46%) | 11<br>(5.16%) | 10<br>(3.85%) | 11<br>(4.80%) | 22<br>(8.21%) | 31<br>(9.90%) | 57<br>(15.28%) | 42<br>(10.14%) | 40<br>(9.20%) | 257<br>(6.35%) |
| AIDS<br>(% of<br>reported<br>AIDS) | 1<br>(1.64%) | 2<br>(2.99%)  | 1<br>(1.67%)  | 1<br>(1.89%)  | 0<br>(0.00%)  | 3<br>(6.12%)  | 1<br>(1.56%)  | 11<br>(15.07%) | 9<br>(11.39%)  | 9<br>(9.38%)  | 43<br>(4.17%)  |


## 8. Source of referral of reported HIV/AIDS

**Table 8.1 Source of referral of reported HIV**

|                                                  | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|--------------------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Public hospitals / clinics / laboratories        | 37                               | 52                               | 35                                         | 1,790                       |
| Private hospitals / clinics / laboratories       | 23                               | 28                               | 19                                         | 898                         |
| Social Hygiene Clinics                           | 15                               | 16                               | 7                                          | 577                         |
| AIDS service organisations<br>(AIDS unit + NGOs) | 26                               | 19                               | 22                                         | 626                         |
| Hong Kong Red Cross Blood<br>Transfusion Service | 2                                | 2                                | 2                                          | 89                          |
| Drug rehabilitation services                     | 3                                | 2                                | 2                                          | 67                          |
| <b>Total</b>                                     | <b>106</b>                       | <b>119</b>                       | <b>87</b>                                  | <b>4,047</b>                |




Chart 8.1 Source of referral of reported HIV



**Table 8.2 Source of referral of reported AIDS**

|                                                  | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|--------------------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| Public hospitals / clinics / laboratories        | 24                               | 28                               | 14                                         | 749                         |
| Private hospitals / clinics / laboratories       | 6                                | 3                                | 1                                          | 156                         |
| Social Hygiene Clinics                           | 1                                | 0                                | 1                                          | 44                          |
| AIDS service organisations<br>(AIDS unit + NGOs) | 1                                | 0                                | 1                                          | 71                          |
| Hong Kong Red Cross Blood<br>Transfusion Service | 0                                | 1                                | 0                                          | 9                           |
| Drug rehabilitation services                     | 0                                | 0                                | 0                                          | 1                           |
| <b>Total</b>                                     | <b>32</b>                        | <b>32</b>                        | <b>17</b>                                  | <b>1,030</b>                |

**Chart 8.2 Source of referral of Reported AIDS**




## 9. Distribution of AIDS defining illnesses

**Table 9.1 Distribution of AIDS defining illness of reported AIDS**


|                                       | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | Cumulative<br>(1984 – 2008) |
|---------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------------------|
| <i>Pneumocystis carinii pneumonia</i> | 16                               | 9                                | 5                                          | 397                         |
| <i>Mycobacterium tuberculosis</i>     | 7                                | 15                               | 9                                          | 278                         |
| Other fungal infections               | 0                                | 1                                | 1                                          | 93                          |
| Penicilliosis                         | 2                                | 1                                | 0                                          | 87                          |
| Cytomegalovirus diseases              | 4                                | 1                                | 1                                          | 47                          |
| Non-TB mycobacterial infections       | 0                                | 1                                | 0                                          | 26                          |
| Kaposi's sarcoma                      | 2                                | 2                                | 0                                          | 24                          |
| Others                                | 1                                | 2                                | 1                                          | 78                          |
| <b>Total</b>                          | <b>32</b>                        | <b>32</b>                        | <b>17</b>                                  | <b>1,030</b>                |

**Chart 9.1 AIDS defining illness of total reported AIDS**



Format: [ ADI; Number; % ]

Chart 9.2 AIDS defining illness of reported AIDS by year



## 10. Reported sexually transmitted infections (STIs) diagnosed in Social Hygiene Service

Table 10.1 Summary table on the reported STIs diagnosed in Social Hygiene Service

|                                              | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | In year 2008 |
|----------------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|--------------|
| <b>Syphilis</b>                              |                                  |                                  |                                            |              |
| <i>Primary</i>                               | 14                               | 10                               | 18                                         | 45           |
| <i>Secondary</i>                             | 16                               | 20                               | 15                                         | 56           |
| <i>Early latent</i>                          | 21                               | 21                               | 14                                         | 82           |
| <i>Late latent</i>                           | 167                              | 210                              | 182                                        | 720          |
| <i>Late (cardiovascular / neuro /ocular)</i> | 1                                | 2                                | 0                                          | 5            |
| <i>Congenital (early)</i>                    | 0                                | 0                                | 0                                          | 0            |
| <i>Congenital (late)</i>                     | 0                                | 0                                | 1                                          | 0            |
| <b>Syphilis total</b>                        | <b>219</b>                       | <b>263</b>                       | <b>230</b>                                 | <b>908</b>   |

(to be cont'd)

**Table 10.1 (Cont'd)**

|                                             | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | In year 2008  |
|---------------------------------------------|----------------------------------|----------------------------------|--------------------------------------------|---------------|
| Gonorrhoea                                  | 331                              | 381                              | 425                                        | 1,423         |
| Non-gonococcal urethritis (Male)            | 971                              | 954                              | 954                                        | 3,766         |
| Non-specific genital infection (Female)     | 674                              | 694                              | 701                                        | 2,752         |
| Genital wart                                | 557                              | 590                              | 531                                        | 2,276         |
| <i>Herpes genitalis</i>                     | 152                              | 164                              | 205                                        | 715           |
| Pediculosis pubis                           | 35                               | 47                               | 47                                         | 172           |
| Trichomonas                                 | 113                              | 94                               | 115                                        | 410           |
| Genital ulcer                               | 2                                | 3                                | 0                                          | 10            |
| Chancroid / <i>Lymphogranuloma venereum</i> | 0                                | 0                                | 0                                          | 0             |
| Others                                      | 562                              | 316                              | 318                                        | 1,435         |
| <b>Total</b>                                | <b>3,616</b>                     | <b>3,506</b>                     | <b>3,526</b>                               | <b>13,867</b> |



## 11. Gender distribution of reported STIs

**Table 11.1 Gender distribution of selected STI reported by Social Hygiene Service**

|                         | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | In year 2008    |
|-------------------------|----------------------------------|----------------------------------|--------------------------------------------|-----------------|
| <b>Primary Syphilis</b> |                                  |                                  |                                            |                 |
| Male (M)                | 13                               | 10                               | 16                                         | 43              |
| Female (F)              | 1                                | 0                                | 2                                          | 2               |
| <b>M:F</b>              | <b>13 : 1</b>                    | <b>N.A.</b>                      | <b>8 : 1</b>                               | <b>21.5 : 1</b> |
| <b>Gonorrhoea</b>       |                                  |                                  |                                            |                 |
| Male (M)                | 289                              | 333                              | 371                                        | 1,254           |
| Female (F)              | 42                               | 48                               | 54                                         | 169             |
| <b>M:F</b>              | <b>6.9 : 1</b>                   | <b>6.9 : 1</b>                   | <b>6.9 : 1</b>                             | <b>7.4 : 1</b>  |
| <b>NGU / NSGI *</b>     |                                  |                                  |                                            |                 |
| Male (M)                | 971                              | 954                              | 954                                        | 3,766           |
| Female (F)              | 674                              | 694                              | 701                                        | 2,752           |
| <b>M:F</b>              | <b>1.4 : 1</b>                   | <b>1.4 : 1</b>                   | <b>1.4 : 1</b>                             | <b>1.4 : 1</b>  |

(to be cont'd)

**Table 11.1 (Cont'd)**

|                                | This quarter<br>(Oct - Dec 2008) | Last quarter<br>(Jul – Sep 2008) | Same quarter last year<br>(Oct - Dec 2007) | In year 2008   |
|--------------------------------|----------------------------------|----------------------------------|--------------------------------------------|----------------|
| <b>Genital wart</b>            |                                  |                                  |                                            |                |
| Male (M)                       | 404                              | 443                              | 406                                        | 1,655          |
| Female (F)                     | 153                              | 147                              | 125                                        | 621            |
| <b>M:F</b>                     | <b>2.6 : 1</b>                   | <b>3.0 : 1</b>                   | <b>3.2 : 1</b>                             | <b>2.7 : 1</b> |
| <b><i>Herpes genitails</i></b> |                                  |                                  |                                            |                |
| Male (M)                       | 110                              | 127                              | 170                                        | 554            |
| Female (F)                     | 42                               | 37                               | 35                                         | 161            |
| <b>M:F</b>                     | <b>2.6 : 1</b>                   | <b>3.4 : 1</b>                   | <b>4.9 : 1</b>                             | <b>3.4 : 1</b> |

\* NGU = Non-gonococcal urethritis

NSGI = Non-specific genital infection


**Table 11.2 Gender distribution of reported STI by clinic**

|                | This quarter<br>(Oct - Dec 2008) |              | Last quarter<br>(Jul – Sep 2008) |              | Same quarter last year<br>(Oct - Dec 2007) |              | In year 2008 |              |
|----------------|----------------------------------|--------------|----------------------------------|--------------|--------------------------------------------|--------------|--------------|--------------|
|                | Male                             | Female       | Male                             | Female       | Male                                       | Female       | Male         | Female       |
| Chai Wan       | 49                               | 27           | 60                               | 25           | 64                                         | 40           | 222          | 129          |
| Wan Chai       | 342                              | 159          | 416                              | 189          | 382                                        | 175          | 1,491        | 744          |
| Yau Ma Tei     | 1,218                            | 726          | 954                              | 759          | 1,098                                      | 737          | 4,211        | 2,906        |
| Yung Fung Shee | 265                              | 128          | 277                              | 124          | 262                                        | 147          | 1,020        | 485          |
| Tuen Mun       | 192                              | 182          | 206                              | 158          | 164                                        | 169          | 744          | 662          |
| Fanling ITC    | 194                              | 134          | 207                              | 131          | 163                                        | 125          | 736          | 517          |
| <b>Total</b>   | <b>2,260</b>                     | <b>1,356</b> | <b>2,120</b>                     | <b>1,386</b> | <b>2,133</b>                               | <b>1,393</b> | <b>8,424</b> | <b>5,443</b> |

Remark: # Lek Yuen Clinic was closed since April 2005.


## 12. Clinic distribution

Chart 12.1 Number of male client reported in Q4 2008 by clinic



Format : [ Clinic ; Number ; % ]

Chart 12.2 Number of female client reported in Q4 2008 by clinic



Format : [ Clinic ; Number ; % ]